TWO WAYS TO BUILD FASTER, STRONGER AND FOR LESS!


TO GIVE **YOU** THE COMPETITIVE EDGE . . .

1




Build your walls with **SRW Adhesive** instead of mortar and you'll save **TIME & MONEY.**







- High temperature adhesive suitable for firepits
- ✓ For use on dry or damp surfaces
- Premium, long lasting strength
- Interior/exterior use
- Specially formulated for use on construction and landscape projects

SRW Adhesive is a rapid-set polyurethane adhesive formulated to permanently bond concrete masonry block structures.







Use our lightweight DIY alternative to concrete blocks.

WHY?

- Self locating connectors
- Allow 2mm adhesive ioint

Typical uses:

- ✓ Retaining walls
- ✔ Front fences
- Privacy walls
- Dividing walls
- Landscaping walls




Contact us today and we will help you start reducing costs on your next project!

Tel: (02) 4631 1383 Fax: (02) 4631 1402 info@bainesmasonry.com.au 900 Wilton Road (P.O. Box 89) Appin NSW 2560

Baines Masonry distributes SRW products in Australia under license from SRW Products (USA) LOCKBLOCKS® is a registered trademarks of Baines Masonry Blocks Pty Ltd and are used under licence

ADHESIVE BEAD PLACEMENT



B/E = Back Edge of Expanded Bead F/E = Front Edge of Expanded Bead Bead = Centreline of Bead should be 19mm from outer edge on 190mm blocks

SRW Rapid-Set polyurethane adhesive is specially formulated for construction and landscape projects needing a fast set-up time. This adhesive has proven to be a premier choice, providing a fast, but permanent bond in 60-90 minutes. It can be used on almost any material, even damp and non-porous surfaces.

DIRECTIONS

- 1. Make sure the surface is clear of any materials that may prevent adequate adhesion like frost, water, dust, and other contaminants.
- 2. Cut the tip on slant for 1/4" to 3/8" bead and puncture inner seal.
- 3. Using caulking gun, apply the adhesive to one of the surfaces.
- 4. Press surfaces firmly together with a slight twisting motion.

USER TIPS

- 1. Not for continuous submersion or use below the waterline.
- 2. When using on non-porous materials like foam, metal, etc. apply a light mist of water during application to speed curing.
- 3. Cure times vary depending on humidity, porosity, temperature, and materials bonded together.
- 4. Not intended for direct contact with flames or fire brick.

CLEANUP

Uncured adhesive may be cleaned with mineral spirits. Dispose of contents/container to hazardous or special waste collection point.



Contact us today and we will help you start reducing costs on your next project!

Tel: (02) 4631 1383 Fax: (02) 4631 1402 info@bainesmasonry.com.au 900 Wilton Road (P.O. Box 89) Appin NSW 2560

Baines Masonry distributes SRW products in Australia under license from SRW Products (USA) LOCKBLOCKS® is a registered trademarks of Baines Masonry Blocks Pty Ltd and are used under licence