

Euromix® Render Coating Systems Summary

The information contained in this summary is typical and does not constitute a full specification, as conditions and specific requirements will vary from project to project. It is recommended that the products covered in this document be applied by building contractors and trades people with the appropriate skill, knowledge and experience to carry out those works, as may be necessary to meet the requirements of the project.

	Concrete		Clay Brick		Cement Brick / Block		AAC		FC		Polystyrene	
	Sponge & Paint	Coloured Render	Sponge & Paint	Coloured Render	Sponge & Paint	Coloured Render	Sponge & Paint	Coloured Render	Sponge & Paint	Coloured Render	Sponge & Paint	Coloured Render
Substrate Preparation	Remove all surface contamination, patch major holes and sunken areas.		Remove all surface contamination, patch major holes and sunken areas.		Remove all surface contamination, patch major holes and sunken areas.		Remove all surface contamination, patch major holes and sunken areas.		Patch all joints and PVC profiles. Remove all surface contamination.		Remove all surface contamination	
	All masonry should be 'wet down' before applying Euromix render. Apply the base coat just after the shine has disappeared from the wet surface.							Seal with 1 coat Bond at ratio 1:1.				
Render Base Coat	Apply 2mm coat of Euromix Multi render mixed with Bond ratio of 1:9. Finish flat off the trowel.		Apply 2mm coat of Euromix Multi render mixed with Bond ratio of 1:19. Finish flat off the trowel.		Apply 2mm coat of Euromix Multi render mixed with Bond ratio of 1:15. Finish flat off the trowel.		Apply 2mm coat of Euromix Multi render mixed with Bond ratio of 1:9. Finish flat off the trowel.		Apply 2mm coat of Euromix Multi Render mixed with Bond ratio of 1:4.		Apply 1-2mm coat of Euromix Multi Render mixed with Bond ratio of 1:4. Bed in fibreglass mesh and top with 1mm Euromix Multi render 1:4. Finish flat off the trowel.	
Render Levelling Coat	Apply 3-5mm coat of Euromix Multi Render mixed with Bond ratio 1:19. Level with straight edge and float flat		Apply 3-5mm coat of Euromix Multi Render mixed with Bond ratio 1:19. Level with straight edge and float flat		Apply 3-5mm coat of Euromix Multi Render mixed with Bond ratio 1:19. Level with straight edge and float flat		Apply 3-5mm coat of Euromix Multi Render mixed with Bond ratio 1:19. Level with straight edge and float flat		Apply 3-5mm coat of Euromix Multi Render mixed with Bond ratio 1:19. Level with straight edge and float flat before sponging to desired texture.	Apply 3-5mm coat of Euromix Multi Render mixed with Bond ratio 1:19. Level with straight edge and float flat	Apply 3-5mm coat of Euromix Multi Render mixed with Bond ratio 1:19. Level with straight edge and float flat before sponging to desired texture.	Apply 3-5mm coat of Euromix Multi Render mixed with Bond ratio 1:19. Level with straight edge and float flat
Render Finishing Coat	Apply 2mm coat of Euromix Skim mixed with Bond ratio 1:19. Sponge to desired texture.	Apply 2mm coat of Euromix Skim mixed with Bond ratio 1:19. Float to flat finish.	Apply 2mm coat of Euromix Skim mixed with Bond ratio 1:19. Sponge to desired texture.	Apply 2mm coat of Euromix Skim mixed with Bond ratio 1:19. Float to flat finish.	Apply 2mm coat of Euromix Skim mixed with Bond ratio 1:19. Sponge to desired texture.	Apply 2mm coat of Euromix Skim mixed with Bond ratio 1:19. Float to flat finish.	Apply 2mm coat of Euromix Skim mixed with Bond ratio 1:19. Sponge to desired texture.	Apply 2mm coat of Euromix Skim mixed with Bond ratio 1:19. Float to flat finish.	Apply 2mm coat of Euromix Skim mixed with Bond ratio 1:19. Level with straight edge and float flat before sponging to desired texture.	Apply 2mm coat of Euromix Skim mixed with Bond ratio 1:19. Level with straight edge and float flat	Apply 2mm coat of Euromix Skim mixed with Bond ratio 1:19. Level with straight edge and float flat before sponging to desired texture.	Apply 2mm coat of Euromix Skim mixed with Bond ratio 1:19. Level with straight edge and float flat
Coloured Finishing Coat	Apply 1 coat of Euromix Prime tinted to desired colour											
	Apply 1 coat of Euromix Flex tinted to desired colour	Apply 1 coat of Euromix Full Acrylic Texture tinted to desired colour	Apply 1 coat of Euromix Flex tinted to desired colour	Apply 1 coat of Euromix Full Acrylic Texture tinted to desired colour	Apply 1 coat of Euromix Flex tinted to desired colour	Apply 1 coat of Euromix Full Acrylic Texture tinted to desired colour	Apply 1 coat of Euromix Flex tinted to desired colour	Apply 1 coat of Euromix Full Acrylic Texture tinted to desired colour	Apply 1 coat of Euromix Flex tinted to desired colour	Apply 1 coat of Euromix Full Acrylic Texture tinted to desired colour	Apply 1 coat of Euromix Flex tinted to desired colour	Apply 1 coat of Euromix Full Acrylic Texture tinted to desired colour
	Apply 1 coat of Euromix Flex tinted to desired colour											